



SAFETY DATA

Version 3.0 Revision Date 09/04/2017

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 **Product identifiers**

Product name

Cadmium sulfide

Brand

SAM

CAS-No.

1306-23-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company

Stanford Advanced

Materials

23661 Birtcher Dr. Lake Forest, CA 92630

USA

Telephone

+1 (949) 407-8904

Fax

+1 (949) 812-6690

1.4 **Emergency telephone number**

Emergency Phone #

+1 (949) 407-8904

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 1B), H350

Reproductive toxicity (Category 2), H361

Specific target organ toxicity - repeated exposure (Category 1), H372

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H302

Harmful if swallowed.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects. H410

Precautionary statement(s) P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P260 P264 Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. P270 Avoid release to the environment. P273 P280 Wear protective gloves/ protective clothing/ eye protection/face protection. P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P391 Collect spillage. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula : CdS

Molecular weight : 144.48 g/mol CAS-No. : 1306-23-6 EC-No. : 215-147-8 Index-No. : 048-010-00-4

Hazardous components

Component						Classification	Concentration	
Cadmium	n sulphic	le , ,					111	
		,	1 1		,	Acute Tox. 4; Muta. 2; Carc. 1B; Repr. 2; STOT RE 1; Aquatic Acute 1; Aquatic	90 - 100 %	
	:			:		Chronic 1; H302, H341, H350, H361, H372, H410		

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis			
		111	parameters				
Cadmium sulphide	1306-23-6	TWA	0.010000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
	Remarks	Kidney damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Suspected human carcinogen					
	:	varies					

,	1		TWA	0.002000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)				
:"		: :	(see BEI®	s for which there is	s a Biological Exposure Index or Indices				
	: ' '	1 1 1	Potential O	Potential Occupational Carcinogen					
			Potential O	See Appendix A Potential Occupational Carcinogen					
			See Appen PEL	0.005000 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens				
:		: : : : :	This standard applies to all occupational exposures to cadmium and cadmium compounds, in all forms, and in all industries covered by the Occupational Safety and Health Act, except the construction-related industries, which are covered under 29 CFR 1926.63.						
			PEL PEL	0.005000 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens				
:			1910.1027 This standard applies to all occupational exposures to cadmium and cadmium compounds, in all forms, and in all industries covered by the Occupational Safety and Health Act, except the construction-related industries, which are covered under 29 CFR 1926.63.						
			OSHA spec	0.01 mg/m3	USA. ACGIH Threshold Limit Values				
	;		(TLV) Kidney damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section)						
				human carcinoger	ו				
			TWA	0.002 mg/m3	USA. ACGIH Threshold Limit Values (TLV)				
	:''		Kidney damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Suspected human carcinogen varies						
			PEL	0.005 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens				
			1910.1027 This standard applies to all occupational exposures to cadmium and cadmium compounds, in all forms, and in all industries covered by						
:		: '	the Occupational Safety and Health Act, except the construction- related industries, which are covered under 29 CFR 1926.63. OSHA specifically regulated carcinogen						
			Potential Occupational Carcinogen See Appendix A						

Biological occupational exposure limits

Biological occupational exposure limits									
Component CAS-No.		Parameters	Value	Biological	Basis				
	1 1	: :		specimen					
Cadmium sulphide	1306-23-6	cadmium	5 μg/l	In blood	ACGIH - Biological Exposure Indices				
			. :		(BEI)				
	Remarks	Not critical							

	:		cadmium	5µg/g creatinine	Urine	E	CGIH - B Exposure I BEI)	•
1		 ;	Not critical				:	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance

Form: powder Colour: yellow

b) Odour

odourless

c) Odour Threshold

No data available

d) PH

No data available

e) Melting point/freezing

point

Melting point/range: 999 °C (1,830 °F)

Initial boiling point and f) boiling range

No data available

g) Flash point Not applicable

Evaporation rate h)

No data available

Flammability (solid, gas) No data available

Upper/lower j) flammability or explosive limits No data available

Vapour pressure k)

No data available

I) Vapour density No data available

m) Relative density

4.82 g/mL at 25 °C (77 °F)

n) Water solubility No data available

Partition coefficient: n-0) octanol/water

log Pow: 2.886

Auto-ignition temperature No data available

Decomposition temperature

No data available

r) Viscosity

No data available

s) Explosive properties No data available

t) Oxidizing properties No data available

Other safety information 9.2

No data available

10. STABILITY AND REACTIVITY

Reactivity 10.1

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Cadmium/cadmium oxides Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 7,080 mg/kg

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

IARC:

1 - Group 1: Carcinogenic to humans (Cadmium sulphide)

NTP:

Known to be human carcinogen (Cadmium sulphide)

Known to be human carcinogenThe reference note has been added by TD based on the

background information of the NTP. (Cadmium sulphide)

OSHA:

1910.1027 (Cadmium sulphide)

OSHA specifically regulated carcinogen (Cadmium sulphide)

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Acute inhalation exposure to cadmium fumes may cause "metal fume fever" with flu-like symptoms of weakness, fever, headache, chills, nausea, vomiting, dizziness, sweating, muscular pain, cough and difficulty breathing. Acute pulmonary edema may develop within 24 hours and reaches a maximum by three days. The first chronic effect of exposure to cadmium is generally kidney damage, manifested by excretion of excessive protein in the urine, followed by anemia, teeth discoloration and loss of smell. Cadmium also is believed to cause pulmonary emphysema and bone disease.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12,1 **Toxicity**

Toxicity to fish

LC50 - Pimephales promelas (fathead minnow) - 0.108 mg/l - 96.0 h

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 0.16 mg/l - 48 h

other aquatic invertebrates

12.2 Persistence and degradability

No data available

12.3 **Bioaccumulative potential**

No data available

Mobility in soil 12.4

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3077

Class: 9

Packing group: III

Proper shipping name: Environmentally hazardous substances, solid, n.o.s. (Cadmium sulphide)

Reportable Quantity (RQ): Marine pollutant:yes

Poison Inhalation Hazard: No

IMDG

UN number: 3077

Class: 9

Packing group: III

EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cadmium sulphide)

Marine pollutant:yes

IATA

harm.

UN number: 3077

Class: 9

State of California to cause birth defects or other reproductive

Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Cadmium sulphide)

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

		CAS-No.	Revision Date
Cadmium sulphide		1306-23-6	1993-04-24
Massachusetts Right To Know Components			
·		CAS-No.	Revision Date
Cadmium sulphide		1306-23-6	1993-04-24
Pennsylvania Right To Know Components	,		
, , ,		CAS-No.	Revision Date
Cadmium sulphide	;	1306-23-6	1993-04-24
New Jersey Right To Know Components			
,		CAS-No.	Revision Date
Cadmium sulphide		1306-23-6	1993-04-24
California Prop. 65 Components			
WARNING! This product contains a chemical known to the		CAS-No.	Revision Date
State of California to cause cancer.		1306-23-6	1987-10-01
Cadmium sulphide			11
WARNING: This product contains a chemical known to the		CAS-No.	Revision Date

1306-23-6

1987-10-01

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.

Aquatic Acute
Aquatic Chronic
Carc.

H302

Acute toxicity
Acute aquatic toxicity
Chronic aquatic toxicity
Carcinogenicity
Harmful if swallowed.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

HMIS Rating

Health hazard: 1
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 1
Fire Hazard: 0
Reactivity Hazard: 0

Further information

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.