

samaterials.com

SAFETY DATA SHEET

Version 3.0 Revision Date 09/04/2017

1. P	RODUCT AND COMPANY IDE	NTIFICATION	1	1 I I 1			1, 1, 1, 1		
1.1	Product identifiers								
14. 1	Product name Brand	: Manganese(IV) o : SAM	oxide		14. 1	1			
	CAS-No.	: 1313-13-9							
1.2	Relevant identified uses of the	substance or mixture and	uses advise	d agains	t				
	Identified uses	: Laboratory chemicals, S	ynthesis of su	ubstances					
1.3	Details of the supplier of the sa	fety data sheet	н н Н				111		
1. 1.	Company	Stanford Advanced Materials 23661 Birtcher Dr. Lake Forest, CA 92630	:	'	1.	:			:
		USA							
	Telephone Fax	: +1 (949) 407-8904 : 1 (949) 812-6690							
1.4	Emergency telephone number			: * *			111		
	Emergency Phone #	: +1 (949) 407-8904							
2. H	AZARDS IDENTIFICATION				· · .			· · .	
2.1	Classification of the substand	e or mixture							
	GHS Classification in accord Acute toxicity, Oral (Category 4 Acute toxicity, Inhalation (Category), H302	SHA HCS)						
	For the full text of the H-Statem	ents mentioned in this Sec	tion, see Seo	ction 16.					
2.2	GHS Label elements, including	precautionary statements	1						
÷.,	Pictogram			'	1. 1.		*		
	Signal word	Warning							
	Hazard statement(s) H302 + H332	Harmful if swallowed or	if inhaled						
: : .	Precautionary statement(s) P261 P264 P270 P271 P301 + P312 + P330	Avoid breathing dust/ fu Wash skin thoroughly a Do not eat, drink or smo Use only outdoors or in IF SWALLOWED: Call	ifter handling oke when us a well-ventil	g. sing this p lated area	roduct. a.		nwell.		
· .	P304 + P340 + P312	Rinse mouth. IF INHALED: Remove v						÷.	:
	P501	comfortable for breathir you feel unwell. Dispose of contents/ co	ng. Call a PC	DISON CE	ENTER	or doctor/	ohysician i	f	

Hazards not otherwise classified (HNOC) or not covered by GHS - none 2.3 **3. COMPOSITION/INFORMATION ON INGREDIENTS** 3.1Substances Synonyms Manganese dioxide MnO2 Formula Molecular weight 86.94 g/mol CAS-No. 1313-13-9 EC-No. 215-202-6 Index-No. 025-001-00-3 Hazardous components Component Classification Concentration Manganese dioxide Acute Tox. 4; H302 + H332 90 - 100 % For the full text of the H-Statements mentioned in this Section, see Section 16. **4. FIRST AID MEASURES** 4.1 Description of first aid measures General advice Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. If inhaled If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact Wash off with soap and plenty of water. Consult a physician. In case of eye contact Flush eyes with water as a precaution. If swallowed Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available 5. FIREFIGHTING MEASURES 5.1 Extinguishing media Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust. For personal protection see section 8.
6.2	Environmental precautions Do not let product enter drains.
6.3	Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
6.4	Reference to other sections For disposal see section 13.
7. ł	HANDLING AND STORAGE
7.1	Precautions for safe handling Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust

formation should be taken into consideration before additional processing occurs. Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL

PROTECTION 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Manganese dioxide	1313-13-9	С	5.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	Remarks	Ceiling limit	is to be determin	ed from breathing-zone air samples.
		TWA	0.200000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	· · ·	Adopted val	vous System imp ues or notations ed in the NIC	airment enclosed are those for which changes
	· · ·		of Intended Chan	ges (NIC)
		TWA	1.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	3.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	0.100000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	1.	Central Ner 2015 Adopt varies	vous System imp ion	airment
-	· · ·	TWA	0.020000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Central Ner	vous System imp	airment

:	1.1			2015 Adoptio varies	on	
		, , , , ,		С	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
				Ceiling limit i	is to be determine	d from breathing-zone air samples.
				TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
				Central Nerv	ous System impai	irment
				Not classifial	ble as a human ca	arcinogen
		· .	:	varies	1	
				TWA	0.02 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
				Central Nerv	ous System impai	irment
					ble as a hùman ca	
				TWA	1 mg/m3	USA. NIOSH Recommended
					,	Exposure Limits
				ST	3 mg/m3	USA. NIOSH Recommended
						Exposure Limits
				PEL	0.2 mg/m3	California permissible exposure
		· · ·		1	.	limits for chemical contaminants
						(Title 8, Article 107)

8.2Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator.For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

0 . E	HYSIC	AL AND CHEMICAL PRO	OPERTIES					 		
9.1		ormation on basic physica		ortice						
9.1		Appearance	Form: powder	Jeilles	:					
	a) b)	Odour	No data available							
	c)	Odour Threshold	No data available							
	d)	pH	No data available					 		
	e)	Melting point/freezing	Melting point/range	e: 535 °	C (995 °F)					
	,	point	51 5					 		
	f) '	Initial boiling point and boiling range	No data available							
1.	g)	Flash point	No data available	14			14	1. ¹	14	
	h)	Evaporation rate	No data available							
	i)	Flammability (solid, gas)	No data available							
	j)	Upper/lower flammability or explosive limits	No data available							
	k)	Vapour pressure	No data available			: • •		 111		
	I)	Vapour density	No data available							
· .	m)	Relative density	5.026 g/cm3	÷.,	:		· .		· .	:
	n)	Water solubility	No data available							
	0)	Partition coefficient: n- octanol/water	No data available					 		
	p)	Auto-ignition temperature	No data available							
	q)	Decomposition temperature	No data available		н н Н	111		 	н 1 - 1	
	r)	Viscosity	No data available							
11	s)	Explosive properties	No data available	11			14	· · · '	1.	
	t)	Oxidizing properties	No data available							
).2		safety information						 		
10.	STAB	LITY AND REACTIVITY								
10.1	Reac No da	tivity ata available		н 1 - 1	н н Н			 :**		
10,2		nical stability e under recommended sto	rage conditions.	1. 1.			1. 1.		14. 14.	
10.3		bility of hazardous react ta available						 		
10.4		i tions to avoid ata available								
									Dege 5	of 0

10.5	Incompatibl Strong acid	e materials s, Strong reducing	g agents, Or	ganic ma	aterials			14	1		142	
10,6	Hazardous o Other decor	decomposition lecomposition product mposition product of fire: see section	lucts formed s - No data			ons Mang	anese/mai	nganese	oxides			
11.	TOXICOLOG	GICAL INFORMA	TION							÷		
11.	1 Informatio	on on toxicologic	al effects									
	Acute to: No data ava			1.1 ¹					ł	1.1	14	
,	Inhalation: I	No data available										
	Dermal: No	data available										
	No data ava	ailable										
	Skin corros No data ava	sion/irritation ailable		111			:**					
·	Serious ey No data ava	e damage/eye irr ailable	itation		·			·			÷.,	
	Respirator No data ava	y or skin sensitis ailable	ation									
	Germ cell r No data ava	nutagenicity ailable										
	Carcinog	enicity										
	IARC:	No component as probable, p						qual to 0	.1% is ider	ntified		
÷.,	NTP:	No component a known or ant				els greatei	r than or e	qual to 0	.1% is ider	ntified as	1. 1.	
	OSHA:	No component a carcinogen c					than or e	qual to 0	.1% is ider	ntified as		,
	Reproduct No data ava											
	No data ava	ailable										
	Specific ta No data ava	r get organ toxici ailable	ty - single e	exposure)							
1	Specific ta No data ava	r get organ toxici ailable	ty - repeate	ed expos	ure			14		¹	14	
	Aspiration No data ava	hazard ailable										
	Additional RTECS: OF	Information 0350000										
	central nerv appearance walking are dust or fume	ed to manganese ous system. Early of the face, emo findings in more a of some mangal of our knowledge	/ symptoms ional disturl advanced ca nese compo	include la bances su ases. Higi bunds.	anguor, s uch as u h incider	sleepiness ncontrollat nce of pneu	and weak ble laughte umonia ha	ness in t and a s s been fo	he legs. A pastic gait ound in wo	stolid mas with tend rkers expo	sk-like ency to f sed to tl	all in ne
		ularities - Based o				-shoologic						

Liver - Irregularities - Based on Human Evidence

۰.	and the set of the	:		1. 1.			÷.,			1. 1.	
12.	ECOLOGICAL INFORMATION										
.1	Toxicity No data available									н 1 - 1	
2.2	2 Persistence and degradabilit No data available	t y									
.3	Bioaccumulative potential No data available										
4	Mobility in soil No data available		'	14			1. 1.			1. 1.	
5	Results of PBT and vPvB ass PBT/vPvB assessment not ava		emical	safętý as	sessme	ent not require	d/not c	onducted			
6	Other adverse effects										
	No data available										
3.	DISPOSAL CONSIDERATIONS										
1 \	Vaste treatment methods										
۰.	TIOUUCI									14	
	Offer surplus and non-recycle disposal service to dispose o	f this mater	ial.	licensed	disposa		ontact a	a licensed pr	ofession	al waste	
	Contaminated packaging Dispose of as unused produc	ot.									
4.	TRANSPORT INFORMATION										
	DOT (US) Not dangerous goods								: • •		
	IMDG Not dangerous goods			14. 1	:						
	IATA Not dangerous goods							н 1 - 1		1 1 - 1	
5	REGULATORY INFORMATION	1									
,	SARA 302 Components No chemicals in this material a		the rei	porting r	auirem	ents of SARA	Titla III	Section 30	2		
۰.	SARA 313 Components The following components are	_	'	1		1. C	14			14	
	Manganese dioxide	,			, capiton	CAS-No. 1313-13-9		Revision D	Date		
	SARA 311/312 Hazards Acute Health Hazard, Chronic He	aalth Hazard	4			1313-13-9		2007-07-0	I		
	Massachusetts Right To Kno No components are subject to th	w Compon	nents	aht to Kn	ow Act				: • •		
	Pennsylvania Right To Know			grit to rai	0117101.						
۰.	Manganese dioxide			14		CAS-No. 1313-13-9	14	Revision [2007-07-0		14	
	New Jersey Right To Know C	omponent	S					2007 07-0			
	Manganese dioxide					CAS-No. 1313-13-9		Revision [2007-07-0			
	California Prop. 65 Componen	ts									
										Den 7	

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. H302 H302 + H332 H332	Harn Harn	e toxicity nful if swallowe nful if swallowe nful if inhaled.	ed or if in	haled		: .		
HMIS Rating Health hazard: Chronic Health Haz Flammability: Physical Hazard	zard:	2 * 0 0			 	 		
NFPA Rating Health hazard: Fire Hazard: Reactivity Hazard:		2 0 0	;				;	

Further information

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.

	14		1	14	*	:	14. 1		1	14. 14.	11	1	14	
				 					. :			. :		
1 I		: • •	1 - 1 1				: :	1 1 1 1			:**			
	14	'		14. 14	'		1.			14			14	*
	, , ,													
	н 1 — 1	; • •	1 - 1 1		;					н 1 - 1	: • •	н н н		
of 8	Page 8 o		:	1. 1.			1. 1.			1. 1.			14	*