

# SAFETY DATA SHEET

Version  
3.0 Revision Date  
09/04/2017

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

### 1.1 Product identifiers

Product name : Copper-tin alloy  
Brand : SAM  
CAS-No. : 158113-12-3

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

### 1.3 Details of the supplier of the safety data sheet

Company : Stanford Advanced  
Materials  
23661 Birtcher Dr.  
Lake Forest, CA 92630  
USA  
Telephone : +1 (949) 407-8904  
Fax : +1 (949) 812-6690

### 1.4 Emergency telephone number

Emergency Phone # : +1 (949) 407-8904

---

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Combustible dust,  
Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

May form combustible dust concentrations in air.  
Very toxic to aquatic life.

H400

Precautionary statement(s)

P273

Avoid release to the environment.

P391

Collect spillage.

P501

Dispose of contents/ container to an approved waste disposal plant.


### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Combustible dust

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Synonyms : Bronze



Molecular weight : 182.26 g/mol

#### Hazardous components

| Component                             | Classification        | Concentration    |
|---------------------------------------|-----------------------|------------------|
| <b>Copper</b>                         |                       |                  |
| CAS-No. 7440-50-8<br>EC-No. 231-159-6 | Aquatic Acute 1; H400 | >= 90 - <= 100 % |
| <b>Tin</b>                            |                       |                  |
| CAS-No. 7440-31-5<br>EC-No. 231-141-8 |                       | >= 10 - < 20 %   |

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

---

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

---

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class (TRGS 510): Non Combustible Solids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## 8. EXPOSURE CONTROLS/PERSONAL

### PROTECTION 8.1 Control parameters

#### Components with workplace control parameters

| Component | CAS-No.   | Value  | Control parameters | Basis  |
|-----------|-----------|--|--------------------|--|
| Copper    | 7440-50-8 | TWA  | 1.000000<br>mg/m3  | USA. ACGIH Threshold Limit Values (TLV)  |
|           | Remarks   | Irritation<br>Gastrointestinal<br>metal fume fever |                    |  |
|           |           | TWA  | 1.000000<br>mg/m3  | USA. NIOSH Recommended Exposure Limits   |
|           |           | TWA  | 1.000000<br>mg/m3  | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
|           |           | TWA  | 0.200000<br>mg/m3  | USA. ACGIH Threshold Limit Values (TLV)  |
|           |           | Irritation<br>Gastrointestinal<br>metal fume fever |                    |  |
|           |           | TWA  | 0.100000<br>mg/m3  | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
|           |           | TWA  | 1.000000<br>mg/m3  | USA. ACGIH Threshold Limit Values (TLV)  |
|           |           | Irritation<br>Gastrointestinal<br>metal fume fever |                    |  |
|           |           | TWA  | 0.200000<br>mg/m3  | USA. ACGIH Threshold Limit Values (TLV)  |
|           |           | Irritation<br>Gastrointestinal<br>metal fume fever |                    |  |

|     |           |  |                |   |
|-----|-----------|--|----------------|---|
|     |           | TWA  | 1.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits  |
|     |           | TWA  | 1.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits  |
|     |           | TWA  | 1.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits  |
|     |           | TWA  | 1.000000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants        |
|     |           | TWA  | 0.100000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants        |
|     |           | TWA  | 1 mg/m3        | USA. ACGIH Threshold Limit Values (TLV)   |
|     |           | Irritation<br>Gastrointestinal<br>metal fume fever |                |   |
|     |           | TWA  | 0.2 mg/m3      | USA. ACGIH Threshold Limit Values (TLV)   |
|     |           | Irritation<br>Gastrointestinal<br>metal fume fever |                |   |
|     |           | TWA  | 1 mg/m3        | USA. NIOSH Recommended Exposure Limits  |
|     |           | TWA  | 1 mg/m3        | USA. NIOSH Recommended Exposure Limits  |
|     |           | TWA  | 1 mg/m3        | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants        |
|     |           | TWA  | 0.1 mg/m3      | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants        |
|     |           | PEL  | 0.1 mg/m3      | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| Tin | 7440-31-5 | TWA  | 2.000000 mg/m3 | USA. ACGIH Threshold Limit Values (TLV)   |
|     |           | Pneumoconiosis (or Stannosis)                      |                |   |
|     |           | TWA  | 2.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits  |
|     |           | TWA  | 2.000000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants        |
|     |           | TWA  | 2 mg/m3        | USA. ACGIH Threshold Limit Values (TLV)   |
|     |           | Pneumoconiosis (or Stannosis)                      |                |   |
|     |           | TWA  | 2 mg/m3        | USA. NIOSH Recommended Exposure Limits  |
|     |           | TWA  | 2 mg/m3        | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants        |
|     |           | PEL  | 2 mg/m3        | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

## 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

- |   |  |
|---|--|
| a) Appearance                                   | Form: powder                                     |
| b) Odour  | No data available                                |
| c) Odour Threshold                              | No data available                                |
| d) pH   | No data available                                |
| e) Melting point/freezing point                 | No data available                                |
| f) Initial boiling point and boiling range      | No data available                                |
| g) Flash point                                  | Not applicable                                   |
| h) Evaporation rate                             | No data available                                |
| i) Flammability (solid, gas)                    | May form combustible dust concentrations in air. |
| j) Upper/lower flammability or explosive limits | No data available                                |
| k) Vapour pressure                              | No data available                                |
| l) Vapour density                               | No data available                                |
| m) Relative density                             | No data available                                |
| n) Water solubility                             | No data available                                |
| o) Partition coefficient: n-octanol/water       | No data available                                |
| p) Auto-ignition temperature                    | No data available                                |
| q) Decomposition temperature                    | No data available                                |
| r) Viscosity                                    | No data available                                |
| s) Explosive properties                         | No data available                                |

t) Oxidizing properties No data available

## 9.2 Other safety information

No data available

---

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong bases, Strong oxidizing agents, Strong acids, Acid chlorides, Sulphur compounds, Halogens

### 10.6 Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Tin/tin oxides, Copper oxides In the event of fire: see section 5

---

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

No data available

No data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

No data available

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

**Aspiration hazard**

No data available

**Additional Information**

RTECS: Not available

sneezing, Nausea, Weakness, Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis.

---

**12. ECOLOGICAL INFORMATION****12.1 Toxicity**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Other adverse effects**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life.

---

**13. DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

**Contaminated packaging**

Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****DOT (US)**

Not dangerous goods

**IMDG**

UN number: 3077

Class: 9

Packing group: III

EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper)

Marine pollutant:yes

**IATA**

UN number: 3077

Class: 9

Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Copper)

**Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

---

**15. REGULATORY INFORMATION****SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

|        | CAS-No.   | Revision Date |
|--------|-----------|---------------|
| Copper | 7440-50-8 | 2007-07-01    |

**SARA 311/312 Hazards**

No SARA Hazards

**Massachusetts Right To Know Components**

|        | CAS-No.   | Revision Date |
|--------|-----------|---------------|
| Copper | 7440-50-8 | 2007-07-01    |
| Tin    | 7440-31-5 | 1994-04-01    |

**Pennsylvania Right To Know Components**

|        | CAS-No.   | Revision Date |
|--------|-----------|---------------|
| Copper | 7440-50-8 | 2007-07-01    |
| Tin    | 7440-31-5 | 1994-04-01    |

**New Jersey Right To Know Components**

|        | CAS-No.   | Revision Date |
|--------|-----------|---------------|
| Copper | 7440-50-8 | 2007-07-01    |
| Tin    | 7440-31-5 | 1994-04-01    |

**California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**16. OTHER INFORMATION****Full text of H-Statements referred to under sections 2 and 3.**

|               |  |
|---------------|--|
|               | May form combustible dust concentrations in air. |
| Aquatic Acute | Acute aquatic toxicity                           |
| H400          | Very toxic to aquatic life.                      |

**HMIS Rating**

|                        |   |
|------------------------|---|
| Health hazard:         | 0 |
| Chronic Health Hazard: |   |
| Flammability:          | 0 |
| Physical Hazard        | 0 |

**NFPA Rating**

|                    |   |
|--------------------|---|
| Health hazard:     | 0 |
| Fire Hazard:       | 0 |
| Reactivity Hazard: | 0 |

**Further information**

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.