

samaterials.com

SAFETY DATA SHEET

Version 3.0 Revision Date 09/04/2017

1. PF		IDENTIFICATION		1.1.1					
1.1Pi	roduct identifiers								
' · .	Product name Brand	Neodymium SAM			14			142	. '
'	CAS-No.	: 7440-00-8							
1.2	Relevant identified uses	s of the substance or mixture a	and uses adv	vised agai	nst				
	Identified uses	: Laboratory chemicals, I	Manufacture	of substand	ces				
1.3	Details of the supplier of	of the safety data sheet							
	Company	Stanford Advanced : Materials		,			,		
· · .		23661 Birtcher Dr. Lake Forest, CA 9263 USA	0					14	.'
'	Telephone Fax	: +1 (949) 407-8904 : +1 (949) 812-6690							
1.4	Emergency telephone r	number							
. ' '	Emergency Phone #	: +1 (949) 407-8904		:**					
2. H/	AZARDS IDENTIFICATIO	N							
2.1	Classification of the sul	bstance or mixture			14.	11		14.	. '
	GHS Classification in	accordance with 29 CFR 191	0 (OSHA HC	CS)					
*	Flammable solids (Cate Skin irritation (Category Eye irritation (Category Specific target organ to	2), H315	ory 3), Respi	ratory syst	em, H33	5			
		-Statements mentioned in this	• • •						
2.2		cluding precautionary stateme							
	Pictogram								
1	i lotografii				14			11	'
	Signal word	Warning							
	Hazard statement(s) H228 H315	Flammable solid. Causes skin irritation.			*			*	
	H319 H335	Causes serious eye ir May cause respiratory		111					
	Precautionary statemer		-						
	P210	Keep away from heat				es No sr	noking.		
· .	P240 P241 P261	Ground/bond containe Use explosion-proof e Avoid breathing dust/	electrical/ver	ntilating/ lig	ghting/ e			1.	
'	P264 P271	Wash skin thoroughly Use only outdoors or	after handlin	ng.		,			
								Page 1	of 7

P280		Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352		IF ON SKIN: Wash with plenty of soap and water.
P304 + P340		IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338		IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312		Call a POISON CENTER or doctor/ physician if you feel unwell.
P321		Specific treatment (see supplemental first aid instructions on this label).
P332 + P313		If skin irritation occurs: Get medical advice/ attention.
P337 + P313		If eye irritation persists: Get medical advice/ attention.
P362	· ·	Take off contaminated clothing and wash before reuse.
P370 + P378		In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P233		Store in a well-ventilated place. Keep container tightly closed.
P405		Store locked up.
P501		Dispose of contents/ container to an approved waste disposal plant.

2.3Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1Substances

Formula	: Nd
Molecular Weight	: 144.24 g/mol
CAS-No.	: 7440-00-8
EC-No.	: 231-109-3

Hazardous components

Componen	it					Classification	Concentration
Neodymiu	m						
		1. 1.			÷.,	Flam. Sol. 2; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H228, H315, H319, H335	-
For the full	text of t	he H-Sta	atements	mentioned	in this S	Section see Section 16	

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Dry powder

5.2 Special hazards arising from the substance or mixture

neodymium oxides

5.3 Advice for firefighters Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information no data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure

adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition -No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage.

Air and moisture sensitive. Keep in a dry place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL

PROTECTION 8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

impervious clothing, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1	Infe	ormation on basic physic	cal and chemical pr	opertie	S									
1	a)	Appearance	Form: powder Colour: grey	1			1			I				
14	b)	Odour	no data available	14	$(\mathcal{A}^{(1)}) = (\mathcal{A}^{(1)})$		14			14.	. 1			
	c)	Odour Threshold	no data available											
	d)	рН	no data available							1.1				
	e)	Melting point/freezing point	Melting point/range	: 1,021	°C (1,870 °F) - lit.								
	f)	Initial boiling point and boiling range	3,074 °C (5,565 °F)) - lit.										
	g)	Flash point	not applicable											
1. 1.	h)	Evapouration rate	no data available	1.	11		1.			1.1				
	i)	Flammability (solid, gas)	The substance or mixture is a flammable solid with the category 2.											
'	j) -	Upper/lower flammability or explosive limits	no data available	'			'			'				
	k)	Vapour pressure	no data available											
	I)	Vapour density	no data available			111			: • •					
	m)	Relative density	7.003 g/cm3 at 25	°C (77 °	F)									
· .	n) ,	Water solubility	no data available				· .							
	o)	Partition coefficient: n- octanol/water	no data available		i i i i i i i i i i i i i i i i i i i		,							
'	p)	Auto-ignition temperature	no data available				'							
	q)	Decomposition temperature	no data available											
	r)	Viscosity	no data available						1.1.1					
	s)	Explosive properties	no data available											
14	t) -	Oxidizing properties	no data available				14				. '			
9.2		er safety information												
	no	data available	·				1.1			1.1				

Page 4 of 7

14								1			1	
		AND REACTIVIT	Y									
10.1	Reactivity no data a							¹			¹	
10.2	Chemical Stable un	stability der recommende	d storage co	onditions.								
10.3		y of hazardous re plently with water			111							
10.4	Condition Heat, flam	s to avoid es and sparks. Ex	tremes of ter	mperature	e and dire	ct sunlight.	Exposure	to moist	ure.			
10.5		ble materials ids, Nitrogen, Str	ong oxidizin	g agents,	Phosph	orous acid	, Halogen	S				
10.6	Other dec	s decomposition composition produ ent of fire: see sec	icts - no dat	a availab	le				й й И			
11. T	OXICOLOG	ICAL INFORMA	TION		1 1			1			×	
11.1	Informatio	on on toxicologic	al effects									
	Acute to no data a							· · .				
'	Dermal: n	o data available										
	no data a	vailable										
	Skin corr no data a	osion/irritation vailable										
	Serious e no data a	eye damage/eye vailable	irritation									
1.	Respirate no data a	ory or skin sens i vailable	tisation		1			14			14	
	Germ cel no data a	l mutagenicity vailable				: .						
	Carcinog	enicity										
	IARC:	No component as probable, p						qual to 0	.1% is ide	ntified		
	ACGIH:	No component a carcinogen c					than or e	qual to 0	.1% is ide	ntified as		
	NTP:	No component a known or ant				els greater	than or e	qual to 0	.1% is ide	ntified as		
	OSHA:	No component a carcinogen c					than or e	qual to 0	.1% is ide	ntified as		
	Reprodu no data a	ctive toxicity vailable										
	no data a	vailable		111				. * *		: * *		
· .		arget organ tox - May cause res			ire			· .	. '			
,	Specific no data a	a rget organ tox vailable	icity - repea	ated expo	osure							
'	Aspiratio no data a		1			н н н						
											Page 5	of 7
		10										

Additional Information RTECS: QO8575000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Rare earth compounds may cause delayed blood clotting leading to hemorrhages. Inhalation of rare earths may cause sensitivity to heat, itching, and increased awareness of odor and taste.

Toxicity no data available Persistence and degradability										
no data available										
Bioaccumulative potential no data available				н 1. т.			н 1 1.		¹	
Mobility in soil no data available										
						uired/not	conducted	: • •		
Other adverse effects										
no data available	. '		1.	. '		* .			1.	
POSAL CONSIDERATIONS										
aste treatment methods										
material is highly flammable. C a licensed professional waste	Offer surplu	s and n	on-recyc	lable solution	ons to a					
			14			14. 14.			14	
ANSPORT INFORMATION										
Proper shipping name: Metal p		mmable		group: II						
					:					
		. FLAM				EMS-N	o: F-G, S-G			
Anning a sellent set. No.										
				group: II						
					: * *			: ' '		
	no data available Results of PBT and vPvB asse PBT/vPvB assessment not ava Other adverse effects no data available POSAL CONSIDERATIONS aste treatment methods Product Burn in a chemical incinerator material is highly flammable. C a licensed professional waste Contaminated packaging Dispose of as unused product ANSPORT INFORMATION OT (US) JN number: 3089 Class: Proper shipping name: Metal p Reportable Quantity (RQ): Marine pollutant: No Poison Inhalation Hazard: No MDG JN number: 3089 Class: Proper shipping name: METAL Marine pollutant: No Proper shipping name: METAL Marine pollutant: No Proper shipping name: METAL Marine pollutant: No ATA JN number: 3089 Class: Proper shipping name: METAL Marine pollutant: No	no data available Results of PBT and vPvB assessment PBT/vPvB assessment not available as c Dther adverse effects no data available POSAL CONSIDERATIONS aste treatment methods Product Burn in a chemical incinerator equipped v material is highly flammable. Offer surplu a licensed professional waste disposal se Contaminated packaging Dispose of as unused product. ANSPORT INFORMATION OOT (US) IN number: 3089 Class: 4.1 Proper shipping name: Metal powders, fla Reportable Quantity (RQ): Marine pollutant: No Poison Inhalation Hazard: No MDG IN number: 3089 Class: 4.1 Proper shipping name: METAL POWDER Marine pollutant: No Dispose of as unused Product. ATA IN number: 3089 Class: 4.1 Proper shipping name: METAL POWDER Marine pollutant: No	Ano data available Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical Dther adverse effects no data available POSAL CONSIDERATIONS aste treatment methods Product Burn in a chemical incinerator equipped with an material is highly flammable. Offer surplus and n a licensed professional waste disposal service to Contaminated packaging Dispose of as unused product. ANSPORT INFORMATION OOT (US) IN number: 3089 Class: 4.1 Proper shipping name: Metal powders, flammable Reportable Quantity (RQ): Marine pollutant: No Poison Inhalation Hazard: No MDG IN number: 3089 Class: 4.1 Proper shipping name: METAL POWDER, FLAM Marine pollutant: No ATA IN number: 3089 Class: 4.1 Proper shipping name: Metal powder, flammable	no data available Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety a Other adverse effects no data available POSAL CONSIDERATIONS aste treatment methods Product Burn in a chemical incinerator equipped with an afterburn material is highly flammable. Offer surplus and non-recyce a licensed professional waste disposal service to dispose Contaminated packaging Dispose of as unused product. ANSPORT INFORMATION OOT (US) IN number: 3089 Class: 4.1 Packing Proper shipping name: Metal powders, flammable, n.o.s. Reportable Quantity (RQ): Marine pollutant: No Poison Inhalation Hazard: No MDG IN number: 3089 Class: 4.1 Packing Proper shipping name: METAL POWDER, FLAMMABLE, Marine pollutant: No ATA IN number: 3089 Class: 4.1 Packing Proper shipping name: Metal powder, flammable, n.o.s.	no data available Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment Dther adverse effects no data available POSAL CONSIDERATIONS aste treatment methods Product Burn in a chemical incinerator equipped with an afterburner and scru material is highly flammable. Offer surplus and non-recyclable solutio a licensed professional waste disposal service to dispose of this mat Contaminated packaging Dispose of as unused product. ANSPORT INFORMATION DOT (US) IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powders, flammable, n.o.s. Reportable Quantity (RQ): Marine pollutant: No MDG IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. Marine pollutant: No ATA IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. Marine pollutant: No ATA IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. Marine pollutant: No	no data available Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not req Dther adverse effects no data available POSAL CONSIDERATIONS aste treatment methods Product Burn in a chemical incinerator equipped with an afterburner and scrubber bu material is highly flammable. Offer surplus and non-recyclable solutions to a a licensed professional waste disposal service to dispose of this material. Contaminated packaging Dispose of as unused product. ANSPORT INFORMATION DOT (US) IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powders, flammable, n.o.s. Reportable Quantity (RQ): Aarine pollutant: No Poisson Inhalation Hazard: No MDG IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. Aarine pollutant: No ATA IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powder, flammable, n.o.s.	no data available Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not Other adverse effects no data available POSAL CONSIDERATIONS aste treatment methods Product Burn in a chemical incinerator equipped with an afterburner and scrubber but exert ex material is highly flammable. Offer surplus and non-recyclable solutions to a licensed a licensed professional waste disposal service to dispose of this material. Contaminated packaging Dispose of as unused product. ANSPORT INFORMATION DOT (US) IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powders, flammable, n.o.s. Reportable Quantity (RQ): Marine pollutant: No MDG IN number: 3089 Class: 4.1 Packing group: II EMS-N Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. Aarine pollutant: No ATA IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. Aarine pollutant: No ATA IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. AtTA IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. Atta IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. Atta IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. Atta IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powder, flammable, n.o.s.	no data available Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted Dther adverse effects no data available POSAL CONSIDERATIONS asste treatment methods Product Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in ig material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal corr a licensed professional waste disposal service to dispose of this material. Contaminated packaging Dispose of as unused product. ANSPORT INFORMATION DOT (US) IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powders, flammable, n.o.s. Reportable Quantity (RQ): Aarine pollutant: No Poison Inhalation Hazard: No MDG IN number: 3089 Class: 4.1 Packing group: II EMS-No: F-G, S-G Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. Aarine pollutant: No ATA IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powder, flammable, n.o.s.	no data available Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted Dther adverse effects no data available POSAL CONSIDERATIONS aste treatment methods Product Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. C a licensed professional waste disposal service to dispose of this material. Contaminated packaging Dispose of as unused product. ANSPORT INFORMATION DOT (US) IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powders, flammable, n.o.s. Reportable Quantity (RQ): MDG IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. Larine pollutant: No ATA IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powder, flammable, n.o.s.	no data available Results of PBT and vPvB assessment PBT/VPvB assessment not available as chemical safety assessment not required/not conducted Dther adverse effects no data available POSAL CONSIDERATIONS aste treatment methods Product Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Contaminated packaging Dispose of as unused product. ANSPORT INFORMATION DOT (US) IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powders, flammable, n.o.s. Reportable Quantity (RQ): Aarine pollutant: No MDG IN number: 3089 Class: 4.1 Packing group: II EMS-No: F-G, S-G Yoper shipping name: METAL POWDER, FLAMMABLE, N.O.S. Aarine pollutant: No ATA IN number: 3089 Class: 4.1 Packing group: II Proper shipping name: Metal powder, flammable, n.o.s.

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

						CAS-No.		Revision Date			
Neodymium			111			7440-00-8			111		
New Jersey Right	To Know	· Compone	ents								
						CAS-No.		Revision Date			
Neodymium	1.1	1.1		14	1.1	7440-00-8	1.	11		14	1.1
California Pron	5 Comp	ononte									

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

....

16. OTHER INFORMATION

Full text of H-Stat	ements referred to	under s	ections	2 and 3.						
Eye Irrit. Flam. Sol. H228	Eye irritation Flammable solids Flammable solid.					1			1	
H315 H319 H335 Skin Irrit. STOT SE	Causes serious e May cause respira Skin irritation	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Skin irritation Specific target organ toxicity - single exposure								
HMIS Rating Health hazard:	2		.**			111				
Chronic Health Haza Flammability: Physical Hazard	ard: 3 3		14. 14.			14. 1			14	
NFPA Rating Health hazard: Fire Hazard: Reactivity Hazard:	2 3 3								'	

Further information

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.

Page 7 of 7