

samaterials.com

SAFETY DATA SHEET

Version 3.0 Revision Date 09/04/2017

			1		
sh, 99.5	% tra	ce rare	earth	÷	
:					
l against					
substances	<b>i</b>			1	
.:	:	•••		:	
. '			. '		
111		$\mathcal{T}_{ij} = \{i,j\}$	: • •		
	:	· · · .	.1		
.) 199			ji arr		
tion 16					
			:		
			. '		
	nhaled.	14. 1			
		s. No smok	ing.	t.	
lating/ light	ing/ equ	ipment.	.1		
	· ·				
	d against substances substances ction 16.	d against substances ed to air. to skin or if inhaled. lames/hot surfaces g equipment.	d against substances et to air. In skin or if inhaled. lames/hot surfaces. No smok lating/ lighting/ equipment.	substances substances et to air. n skin or if inhaled. lames/hot surfaces. No smoking. g equipment. lating/ lighting/ equipment.	<b>I against</b> substances tion 16. ed to air. h skin or if inhaled. lames/hot surfaces. No smoking. g equipment. lating/ lighting/ equipment.

P264	Wash skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/ eye protection/ face protection.	. 11
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
	Rinse mouth.	
P302 + P352 + P312	IF ON SKIN: Wash with plenty of soap and water. Call a POISON	
	CENTER or doctor/ physician if you feel unwell.	
P304 + P340 + P312	IF INHALED: Remove victim to fresh air and keep at rest in a position	
	comfortable for breathing. Call a POISON CENTER or doctor/ physician if	
	you feel unwell.	
P335 + P334	Brush off loose particles from skin. Immerse in cool water/ wrap in wet bandages.	
P363	Wash contaminated clothing before reuse.	
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.	
P422	Store contents under inert gas.	
P501	Dispose of contents/ container to an approved waste disposal plant.	

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1Substances

Formula	: Y
Molecular weight	: 88.91 g/mol
CAS-No.	: 7440-65-5
EC-No.	: 231-174-8

#### Hazardous components

Component	111	1	1.1	1.1.1	1	Classification	Concentration
Yttrium							
· · .		÷	С.	.:		Flam. Sol. 1; Pyr. Sol. 1; Acute Tox. 4; H228, H250, H302 + H312 + H332	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **4. FIRST AID MEASURES**

### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

# If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# **4.3 Indication of any immediate medical attention and special treatment needed** No data available

# 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No

smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL

#### PROTECTION 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis	
	1. State 1.	1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 -	parameters	and the second second second second	1.1
Yttrium	7440-65-5	TWA	1.000000 mg/m3	USA. ACGIH Threshold Li (TLV)	mit Values
	Remarks	Pulmonary fi	brosis		

			···.	TWA	1.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		0		TWA	1.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
				TWA	1.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
1.1	1.1.1	1	1.	Pulmonary f	ibrosis	
				TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits
111		t.	· · .	TWA	1, mg/m3	USA. ACGIH Threshold Limit Values (TLV)
				Pulmonary f	ibrosis	
			'	PEL	1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Protective gloves against thermal risks

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a) A	ppearance	Form: powder Colour: light grey						
b) <sub>c</sub> O	dour	No data available	1				: • •	۰.
c) O	dour Threshold	No data available						
d) pl	H , ,	No data available						
,	lelting point/freezing oint	Melting point/range:		) - lit.	:			
	nitial boiling point and oiling range	3,338 °C (6,040 °F) -	lit.			'	.:	'
g) F	lash point	No data available						

	h)	Evaporation rate	No data available		11.		1			1	· · .
	i)	Flammability (solid, gas)	The substance or r	nixture is	s a flammab	le solid w	ith the c	ategory 1.			
	j)	Upper/lower flammability or explosive limits	No data available								'
:	k)	Vapour pressure	No data available		·		:	·	: • •		· .
	I)	Vapour density	No data available								
	m)	Relative density	4.469 g/mL at 25 °	C (77 °F)							
:	n)	Water solubility	No data available		· · .	. '		· · ·	. '		
	o)	Partition coefficient: n- octanol/water	No data available			.:					'
	p)	Auto-ignition temperature	The substance or r	nixture is	s pyrophoric	with the	category	/ 1.			
1	<b>q)</b>	Decomposition temperature	No data available	1		: ' '	1				۰.
	r)	Viscosity	No data available								
1	s)	Explosive properties	No data available	1	19. 19	.:	1	· · .	1	1	· · .
	t)	Oxidizing properties	No data available								
9.2		r safety information Ita available							.:		'
10.	STABI	LITY AND REACTIVITY									
10.1	React No da	t <b>ivity</b> Ita available	ng din				1.				÷.,
10.2		nical stability e under recommended sto	rage conditions.				at in	м.	.:		···,
10.3		ibility of hazardous react s violently with water.	tions								
10.4		itions to avoid flames and sparks.							.'		
10.5		npatible materials g oxidizing agents	м <u>.</u>				1				·
10.6		dous decomposition pro									
÷	Other	dous decomposition produces - decomposition products - event of fire: see section 5	No data available	re condit	ions Yttriu	m oxides		··		:	۰.
11.	τοχις	OLOGICAL INFORMATIC	N								'
11.1	l Info	rmation on toxicological	effects								
		ute toxicity ata available	·								
	No da	ta available									
: '		corrosion/irritation ata available		e <sup>r</sup>			÷		.:	:	···.
		us eye damage/eye irrita ata available	ition						:		
		<b>iratory or skin sensitisat</b> Ita available	ion								
1	·						1.			Page 5 of	8

### Germ cell mutagenicity Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

> No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP:

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

- No component of this product present at levels greater than or equal to 0.1% is identified as OSHA: a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as

# Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure No data available

a known or anticipated carcinogen by NTP.

# Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard No data available

#### Additional Information RTECS: ZG2980000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Rare earth compounds may cause delayed blood clotting leading to hemorrhages. Inhalation of rare earths may cause sensitivity to heat, itching, and increased awareness of odor and taste.

# 12. ECOLOGICAL INFORMATION 12.1 Toxicity

No data available

12.2 Persistence and degradability No data available

#### 12.3 **Bioaccumulative potential**

# No data available

#### 12.4 Mobility in soil

No data available

#### Results of PBT and vPvB assessment 12.5

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

# Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging** Dispose of as unused product.

# 14. TRANSPORT INFORMATION

# DOT (US)

UN number: 3089 Class: 4.	1 Packing group: II				
Proper shipping name: Metal pow	/ders, flammable, n.o.s.				
Reportable Quantity (RQ): Poison Inhalation Hazard: No		۰.	1	1.	· ·

### IMDG

	a construction of the second se								
UN number: 3	089 Clas	s: 4.1		Packing	group: II	EMS-N	lo: F-G, S-	G	
Proper shippir	ng name: MET.	AL POWD	ER, FLAN	1MABLE,	N.O.S.				

# ΙΑΤΑ

UN number: 3089	Class: 4.1	Packin	g group: II			
Proper shipping name	: Metal powder, t	flammable, n.o.s.				

# **15. REGULATORY INFORMATION**

# SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components	1	11.		1.			
<b>č</b>			CAS-No.		Revision Da	ite	
Yttrium			7440-65-5		1993-04-24		
Pennsylvania Right To Know Components	1	· · · ·		1			
			CAS-No.		Revision Da	ıte	
Yttrium			7440-65-5		1993-04-24		
New Jersey Right To Know Components							
			CAS-No.		Revision Da	te	
Yttrium			7440-65-5		1993-04-24		

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

# Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Flam. Sol. H228	Acute toxicity Flammable solids Flammable solid.
H250 H302	Catches fire spontaneously if exposed to air. Harmful if swallowed.
H302 + H312 + H332	Harmful if swallowed, in contact with skin or if inhaled.
H312	Harmful in contact with skin.
HMIS Rating	

Health hazard:

2

Chronic Health Hazard: Flammability: Physical Hazard	3	.:	1		:		÷	
Thysical hazard	5	:				 1		
NFPA Rating								
Health hazard:	2							
Fire Hazard:	3							
Reactivity Hazard:	3							

# **Further information**

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.

						. '								
	1	14. 14.	: **			111	÷.	14. 14.	:**	÷.	1. 1.	111		1. 1.
	1	Ч.,	,ł	:			ť			ť	11.	j.		· · .
	. * *		j.	. **				11	,ł		*	.1		'
	÷.,	1. 1.	111	1				14. 14.	: • •			111	1	1. 1.
	:	· · .	.1	1	· · .	,	÷.	· · .		ť	•••			· · .
1		'									'			
	÷.,	14. 14.	;	÷.	5. 19		÷.		: * *		1.	111	1	1. 1.
1	1		.1	ť	··.		÷	С.	.1	i.	•••	.1		۰.
1			, i			,		'			'			
		14. 14.		1	5. 1	: • •	1.	5. 191	111	1		111	1	1. 1.
						.1							Page 8	of 8
						.1								
		· .			· ,	:**	;	· .		:				· .
				1						,				