

SAFETY DATA SHEET

Creation Date 20-Apr-2010

Revision Date 26-Mar-2024

Revision Number 4

1. Identification

Product Name Silicon carbide

Cat No.:

CAS No 409-21-2 Synonyms Silicon Carbide.

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Stanford Advanced Materials Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

Tel: (949) 407-8904 Fax: (949) 812-6690

Emergency Telephone Number

Stanford Advanced Materials Email: sales@samaterials.com

www.samaterials.com

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

None required

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Silicon carbide	409-21-2	<=100

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

None reasonably foreseeable.

Notes to Physician

Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point Not applicable

No information available Method -

Autoignition Temperature No information available

Explosion Limits

Upper No data available No data available Lower

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Silicon dioxide.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA-

Health **Flammability** Instability Physical hazards 0 N/A

Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation.

Environmental Precautions Should not be released into the environment.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Handling and storage

Silicon carbide powder

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid

ingestion and inhalation. Avoid contact with skin, eyes or clothing. Avoid dust formation.

Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Storage.

Materials. Strong oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Silicon carbide	TWA: 10 mg/m ³	(Vacated) TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
	TWA: 3 mg/m ³	(Vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 0.1 fiber/cm3
11.	TWA: 0.1 fiber/cm3	TWA: 15 mg/m ³	11.	TWA: 3 mg/m ³
1.1		TWA: 5 mg/m ³	11 11 11	11 7 11

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures None under normal use conditions.

Personal Protective Equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye/face Protection**

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Wear appropriate protective gloves and clothing to prevent skin exposure. Skin and body protection

Respiratory Protection No protective equipment is needed under normal use conditions.

Particle filter. Recommended Filter type:

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Physical and chemical properties

Solid **Physical State Appearance Black**

Odor Odorless **Odor Threshold**

No information available Not applicable 2700 °C / 4892 °F **Melting Point/Range**

Boiling Point/Range Not applicable Flash Point Not applicable **Evaporation Rate** Not applicable

Flammability (solid,gas) No information available Flammability or explosive limits

Upper No data available No data available Lower **Vapor Pressure** No information available

Vapor Density Not applicable 3.2

Specific Gravity

Solubility Insoluble in water Partition coefficient; n-octanol/water No data available

Autoignition Temperature No information available **Decomposition Temperature** No information available

Viscosity Not applicable Silicon carbide powder

Molecular Formula SiC Molecular Weight 40.0855

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Avoid dust formation.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Silicon dioxide

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Toxicologically Synergistic

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation May cause skin, eye, and respiratory tract irritation

No information available

Sensitization No information available

CarcinogenicityThe table below indicates whether each agency has listed any ingredient as a carcinogen.

Some agencies list SiC microfibers/whiskers as potential carcinogens, based on limited

Product does not present an acute toxicity hazard based on known information

experimental animal data that suggests a carcinogenic effect.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Silicon carbide	409-21-2	Group 2A	Not listed	A2	X	A2

IARC (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known
STOT - repeated exposure None known

Silicon carbide powder

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. Do not flush into surface water or sanitary sewer system.

Persistence and Degradability Insoluble in water

Bioaccumulation/ AccumulationNo information available.

Mobility Is not likely mobile in the environment due its low water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

15. Regulatory information

United States of America Inventory

	Component		CAS No	TSCA		TSCA Inventory notification -	TSCA - EPA Regulatory	
						Active-Inactive	Flags	
[Silicon carbide	.:	409-21-2		,X	ACTIVE	11 - 11	

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

	Component	CAS No	DSL	NDSL	EINECS	PICCS'	ENCS	ISHL	AICS	IECSC	KECL
ſ	Silicon carbide	409-21-2	Х	-	206-991-8	Х	X	X	Х	Х	KE-31031

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPČRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

Not applicable

Clean Air Act

Not applicable

OSHA - Occupational Safety and

Not applicable

Health Administration

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Silicon carbide	Χ, ,	X	Χ Χ	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component		CAS No		REACH (1907/2006) - Annex XIV - Substances	REACH (1907/2006) - Annex XVII - Restrictions	REACH Regulation (EC 1907/2006) article 59 -		
	1.			1,	Subject to Authorization	on Certain Dangerous Substances	Candidate Substances of Concern (S	Very High
Silio	con carbide		409	-21-2	-	Use restricted. See item	=	
	:"		. :	:"	:	28. (see link for restriction details) Use restricted. See item 75. (see link for restriction	:"	
		14				details)		

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	3 · · · · · · · · · · · · · · · · · · ·	
Silicon carbide	409-21-2	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

	Component CAS No		Seveso III Directive (2012/18/EC) - (2012/18/EC) -		Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)	
	.:	::: .::	Qualifying Quantities for Major Accident Notification	Qualifying Quantities for Safety Report Requirements	in H	in h	
Γ	Silicon carbide	409-21-2	Not applicable	Not applicable	Not applicable	Not applicable	

16. Other information

Prepared By Stanford Advanced Materials

Email: sales@samaterials.com

www.samaterials.com

 Creation Date
 20-Apr-2010

 Revision Date
 26-Mar-2024

 Print Date
 26-Mar-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS